



Qwik Drain High Temperature / Commercial

QUICK REFERENCE GUIDE.
SEE INSTRUCTION MANUAL
FOR COMPLETE DETAILS.

<https://zh-cn.zoellerpumps.com/>
<https://zoellerpumps.com/>




Accessories included are soft connectors, hose clamps, a vent valve and 2" check valve.




1 Drill the inlet with a 2" (50 - 51 mm) hole saw as needed.




2 Connect the soft connector to the inlet and lock it with a hose clamp. The soft connector can be connected to 1-1/2" or 2" pipe. If the pipe is 2", it needs to be cut to the specified position with a box cutter.



3 Connect the 90° elbow to the back of the Qwik Drain and lock it with a hose clamp. Put the Qwik Drain into the installation area. The low side inlet should be at least 3.2" (8 cm) away from the wall, and the top inlet should be at least 8" (20 cm) away from the wall.




4 Connect the pipes to both side inlets, if needed, and lock them with a hose clamp. Connect the top pipe to the 90° elbow.



The Soft connector can be connected to 1-1/2" or 2" pipe.

5 Install the pipe fittings above the vents and discharge pipe. Once installed correctly, connect the Qwik Drain plug to an outlet. It is recommended to install an alarm; to do so, drill the hole before removing the cover.



FIRE/EXPLOSION HAZARD.

Do not pump flammable or explosive fluids such as gasoline, fuel oil, kerosene, etc. Do not use in a flammable and/or explosive atmosphere. Failure to follow these warnings could result in death or serious injury and/or property damage.



Qwik Drain High Temperature / Commercial

快速安装说明

如需要完整细节，请见安装手册

<https://zh-cn.zoellerpumps.com/>
<https://zoellerpumps.com/>




配件包括软管，白铁管束，通气阀和2"止回阀。




1 依使用需求将入水口用50 - 51 mm穴钻钻孔。




2 将软管接上入水口并用铁束环锁紧。软管可接1-1/2" 或2" 水管，如水管为2"，软管需用美工刀裁切至指定位置。



3 将90°弯管连接至桶身後侧并用铁束环锁紧。并将高温桶放入安装区域。侧入水口需离墙面距离8公分以上，後入水口需离墙面距离20公分以上。



4 将入水管连接至两侧入水口并用铁束环锁紧。并且将上方入水管连接至90°弯管。



5 将管配件安装至通气孔和出水口上方。安装无误后将桶装系统插头连接至墙上电源插座。建议安装警报器，先钻孔再拆盖。

